

# JYS CORPORATION

周辺機器 総合カタログ



目录  
CONTENTS

01

USB3.1 BOX HUB

02

USB3.1 Docking

03

Desk Docking

04

Switch

05

U4 Lightning Docking

06

07

Desktop Bracket

08

Headset Docking

09

10

11

12

13

USB\_C-HUB CALBE

14

USB C HUB

15

LAN Dongle

16

17

USB\_C CABLE

18

DisplayPort Cable

19

Signal reversal Cable

20

Signal reversal Cable/Cable

21

21

Adapter

22

23

24

25

26

Gallium nitride charging head

27

Car charger/Customer electronics

28

Customer electronics





## USB3.1 BOX HUB



**Input:** USB 4.0 Female

**PD Power:** 20V 5A

**Output:**

2\*USB3.1\_A Female: 10GB

2\*USB3.0\_A Female: 5GB

1\*USB3.0\_C Female: 5GB

2\*USB2.0\_A Female: 480MB

1\*SD4.0 / TF 4.0

1\*HDMI2.1 Female: 8K@30HZ

1\*DP1.4 Female: 8K@30HZ

1\*RJ45 Female: 1000M

1\*USB\_C Female: PD100W

1\*Audio/ Mic Female: 96KHZ

**Size:** L214.5\*B78.4\*24mm



**Input:** USB3.0\_A Female & USB3.1\_C Female

**PD Power:** 20V 5A

**Output:**

2\*USB3.0\_A Female: 5GB

2\*USB2.0\_A Female: 480M

1\*USB3.0\_C Female: 5GB

1\*SD2.0/TF2.0

3\*HDMI2.0 Female: 4K@60HZ

2\*DP\*1.2 Female: 4K@60HZ

1\*RJ45 Female: 1000M

1\*USB\_C Female: PD100W

1\*Mic Female: 96KHZ

1\*Audio/Mic Female: 96KHZ

**Size:** L214.5\*B78.4\*24mm



## USB3.1 Docking

**Input:** USB3.1 Male  
**Output:**  
 2\*HDMI1.4+VGA+3\*USB3.0\_A  
 +SD/TF+PD+RJ45+Audio  
**Size:** L278\*B78\*H17mm



**Input:** USB3.1 Male  
**Output:**  
 3\*HDMI1.4+2\*USB2.0\_A+  
 2\*USB3.0\_A+USB3.0\_C+PD  
 +RJ45+Audio  
**Size:** L278\*B78\*H17mm



**Input:** USB3.1 Male  
**Output:**  
 HDMI+DP+VGA +3\*USB3.0  
 +SD/TF+PD+RJ45+Audio  
**Size:** L278\*B78\*H17mm





## Desk Docking

Input: USB3.1 Male

PD Power: 20V 5A

Output:

2\*HDMI2.0+DP1.2+3\*USB3.0\_A  
+USB3.1\_A(10GB)+2\*USB3.0\_C  
+2\*USB3.1\_C(10GB)+SD4.0/TF4.0  
+RJ45+PD+Audio/Mic

Size: L136.5\*B121\*H72mm



## Switch

### Mode

Input: 2\*DP Female+2\*USB2.0\_C  
+5V Power

### Output:

2\*DP Female+4\*USB2.0+ switch



### The first mode

Input: HDMI Female

Output: 2\*HDMI Female

### The second mode

Input: 2\*HDMI Female

Output: HDMI Female

Size: L53\*B63.5\*H15.5mm



### The first mode

Input: DP Female

Output: 2\*DP Female

### The second mode

Input: 2\*DP Female

Output: DP Female

Size: L53\*B63.5\*H15.5mm



# Thunderbolt 4 Docking

**Input:** Thunderbolt 4 FeMale+DC

**DC Power:** 24V 6.66A

**Output:** Thunderbolt 4+HDMI2.1

+DP1.4+4\*USB3.0\_A+USB3.1\_C(10GB)

+RJ45+USB3.1\_C(10GB/PDFast charging

SD4.0/TF4.0+Audio/Mic





# Desktop Bracket

**Input:** USB3.1 Male  
**Output:**  
 3\*USB3.0\_A Female: 5GB  
 1\*HDMI2.0 Female: 4K@60HZ  
 1\*USB\_C Female: PD100W  
 1\*RJ45 Female: 1000M  
**Size:** L231\*B210\*H20mm



**Input:** USB3.1 Male  
**Output:**  
 3\*USB3.0\_A Female: 5GB  
 1\*HDMI2.0 Female: 4K@60HZ  
 1\*USB\_C Female: PD100W  
**Size:** L231\*B210\*H20mm



**Input:** USB3.1 Male  
**Output:**  
 3\*USB3.0\_A Female: 5GB  
 1\*USB\_C Female: PD100W  
**Size:** L231\*B210\*H20mm





## Desktop Bracket



Laptop bracket



Laptop bracket

# Headset Docking

Input: USB3.1 FeMale

Output: 2\*HDMI2.0+2\*USB3.0\_A  
+USB3.0\_C+2\*USB2.0\_A+RJ45  
+PD+Audio+Mic

Size: L135.5\*B88\*H30.5mm







## USB4.0-HUB CALBE



**Input:** USB4.0 Male  
**Output:** DP1.4+2\*USB3.1\_A(10GB)  
 +USB3.1\_C(10GB)+PD



**Input:** USB4.0 Male  
**Output:** HDMI2.1+2\*USB3.1\_(10GB)  
 +USB3.1\_C(10GB)+PD



**Input:** USB3.1 Male  
**Output:** HDMI2.0+2\*USB3.0\_A  
 +USB3.0\_C+USB3.0\_C(5GB/PD100W)  
**Size:** L110\*B30\*H10.8mm



**Input:** USB3.1 Male  
**Output:** HDMI2.0+3\*USB3.0\_A  
 +USB3.0\_C(5GB/PD100W)  
**Size:** L110\*B30\*H10.8mm





## USB\_C-HUB CALBE

Input: USB3.1 Male  
 Output: 3\*USB3.0+SD/TF+PD  
 Size: L108\*B35\*H13.5mm



Input: USB3.1 Male  
 Output: SD/TF  
 Size: L72\*B35\*H13.5mm



Input: USB3.1 Male  
 Output: HDMI+3\*USB3.0+PD  
 Size: L103\*B35\*H13.5mm



Input: USB3.1 Male  
 Output: HDMI+4\*USB3.0+PD  
 Size: L120\*B35\*H13.5mm



Input: USB3.1 Male  
 Output: 4\*USB3.0  
 Size: L96\*B35\*H13.5mm



Input: USB3.1 Male  
 Output: HDMI+2\*USB3.0  
 +USB3.1+PD  
 Size: L103\*B35\*H13.5mm



Input: USB3.1 Male  
 Output: HDMI+USB3.0+2\*USB2.0  
 +SD/TF+PD  
 Size: L130\*B35\*H13.5mm



## USB\_C-HUB CALBE



**Input:** USB3.1 Male  
**Output:** HDMI+3\*USB3.0  
 +RJ45+PD  
**Size:** L90\*B49\*H15.2mm



**Input:** USB3.1 Male  
**Output:** HDMI+3\*USB3.0  
 +SD/TF+Audio  
 +RJ45+PD  
**Size:** L134\*B49\*H15.2mm



**Input:** USB3.1 Male  
**Output:** 2\*DP+2\*USB3.0  
 +SD/TF+RJ45+PD  
**Size:** L134\*B49\*H15.2mm



**Input:** USB3.1 Male  
**Output:** HDMI+2\*USB3.0  
 +USB3.1+SD/TF  
 +Audio+RJ45+PD  
**Size:** L134\*B49\*H15.2mm



**Input:** USB3.1 Male  
**Output:** 2\*HDMI+3\*USB3.0  
 +RJ45+PD  
**Size:** L154\*B49\*H15.2mm



**Input:** USB3.1 Male  
**Output:** HDMI+VGA+3\*USB3.0  
 +SD/TF+RJ45+Audio+PD  
**Size:** L154\*B49\*H15.2mm



# USB\_C-HUB CALBE

Input: 2\*USB3.1 Male  
 Output: 2\*HDMI+2\*USB3.0  
 +SD/TF+RJ45+PD  
 Size: L130\*B40\*H10.5mm



Input: 2\*USB3.1 Male  
 Output: 2\*HDMI+PD  
 Size: L62\*B40\*H10.5mm



Input: 2\*USB3.1 Male  
 Output: 2\*DP+PD  
 Size: L62\*B40\*H10.5mm



Input: 2\*USB3.1 Male  
 Output: 2\*DP+3USB3.0  
 +SD/TF+PD  
 Size: L130\*B40\*H10.5mm



Input: 2\*USB3.1 Male  
 Output: 2\*HDMI+3USB3.0  
 +SD/TF+PD  
 Size: L130\*B40\*H10.5mm



Input: 2\*USB3.1 Male  
 Output: HDMI+DP+3USB3.0  
 +SD/TF+PD  
 Size: L130\*B40\*H10.5mm



Input: 2\*TYPE C Male  
 Output: HDMI+2\*USB3.0+PD  
 + TYPE C Female(Full function)





## USB\_C-HUB CALBE

Input: USB3.1 Male  
 Output: 2\*HDMI Female  
 Size: L65.2\*B63.5\*H14.5mm



Input: USB3.1 Male  
 Output: 2\*HDMI+USB2.0+PD  
 Size: L65.2\*B63.5\*H14.5mm



Input: USB3.1 Male  
 Output: 2\*DP Female  
 Size: L65.2\*B63.5\*H14.5mm



Input: USB3.1 Male  
 Output: 2\*DP Female+Micor USB  
 Size: L65.8\*B61.9\*H15.2mm



Input: USB3.1 Male  
 Output: 2\*HDMIFemale  
 Size: L65.8\*B61.9\*H15.2mm



Input: USB3.1 Male  
 Output: HDMI+VGA+USB3.0+PD  
 Size: L65.8\*B61.9\*H15.2mm



Input: USB3.1 Male  
 Output: HDMI+USB3.0+PD  
 Size: L53.2\*B60.4\*H11mm

# USB C HUB



Input: USB3.1 Male  
Output: HDMI+VGA+3\*USB3.0



Input: USB3.1 Male  
Output: HDMI+VGA+2\*USB3.0+2\*USB3.1



Input: USB3.1 Male  
Output: HDMI+VGA+USB3.0+Audio+PD



Input: DisplayPort Male  
Output: HDMI+DP+VGA+PD



Input: USB3.1 Male  
Output: 2\*USB3.0+2\*USB3.1



Input: USB3.1 Male  
Output: 4\*USB3.0 Female



Input: USB3.1 Male  
Output: 3\*HDMI A Female+USB-C(5V~1A)



Input: USB3.1 Male  
Output: 4\*USB3.0 A Female

# LAN Dongle



Input: USB3.1 Male  
Output: 2.5G RJ45



Input: USB3.0 A Male  
Output: 2.5G RJ45



Input: USB3.1 Male  
Output: 3\*USB3.0+RJ45



Input: USB3.1 Male  
Output: RJ45



Input: USB3.1 Male  
Output: RJ45



Input: USB3.1 Male  
Output: RJ45+PD



Input: USB3.1 Male  
Output: HDMI+PD



Input: USB3.1 Male  
Output: DP+PD



# USB\_C CABLE



Input: USB3.1 Male  
Output: HDMI A Male




Input: USB3.1 Male  
Output: DisplayPort Male



Input: USB3.1 Male  
Output: HDMI A Male



Input: USB3.1 Male  
Output: HDMI A Male



Input: USB3.1 Male  
Output: DVI Male



Input: USB3.1 Male  
Output: VGA Male

# USB\_C CABLE



Input: USB3.1 Male  
Output: DVI Female



Input: USB3.1 Male  
Output: VGA Female



Input: USB3.1 Male  
Output: DisplayPort Female



Input: USB3.1 Male  
Output: HDMI A Female

# DisplayPort Cable



Input: DisplayPort Male  
Output: HDMI Male



Input: DisplayPort Male  
Output: DVI Male



Input: DisplayPort Male  
Output: VGA Male



Input: DisplayPort Male  
Output: HDMI A Female



Input: DisplayPort Male  
Output: VGA Female



Input: DisplayPort Male  
Output: DVI Female



# Signal reversal Cable



**Input:** HDMI A Male+USB2.0 Power  
**Output:** TYPE C Male+USB3.1 Power supply



**Input:** DisplayPort+USB2.0 Power  
**Output:** TYPE C Male+USB2.0 data



**Input:** DisplayPort+USB2.0 Power  
**Output:** HDMI A Male 8K



**Input:** DisplayPort+USB2.0 Power  
**Output:** HDMI A Male 8K



**Input:** HDMI A Male+USB2.0 Power  
**Output:** DisplayPort Female



**Input:** HDMI A Male+USB2.0 Power  
**Output:** DisplayPort Male



**Input:** HDMI A Male+USB2.0 Power  
**Output:** DisplayPort Male



**Input:** HDMI A Male  
**Output:** VGA Female+Audio

# Signal reversal Cable/Cable



Input: HDMI A Male  
Output: VGA Female



Input: HDMI A Male+USB2.0 Power  
Output: DisplayPort Female



HDMI Cable



HDMI Cable



HDMI Cable



DisplayPort Cable




TYPE CM Cable



TYPE CM Cable

# Adapter



Input: TYPE C Male  
Output: USB3.0 A Female



Input: USB3.0 A Male  
Output: TYPE C Female



Input: USB3.1 Male  
Output: VGA Female



Input: USB3.1 Male  
Output: HDMI A Female



Input: USB3.1 Male  
Output: DP Female



One  
Input: USB3.0 A Male  
Output: TYPE C Female  
Two  
Input: TYPE C Male  
Output: USB3.0 A Female



# Gallium nitride charging head



**Input:** 100-240V 50/60Hz  
**Output:**  
 5V3A/9V2.77A  
 PPS: 3.3V-5.9V3A  
 3.3V-11V2.25A



**Input:** 100-240V 50/60Hz  
**Output:**  
 5V3A/9V2.77A  
 PPS: 3.3V-5.9V3A  
 3.3V-11V2.25A



**Input:** 100-240V 50/60Hz  
**Output:**  
 5V3A/9V2.77A  
 PPS: 3.3V-5.9V3A  
 3.3V-11V2.25A



**Input:** 100-240V 50/60Hz  
**Output:**  
 5V3A/9V2.77A  
 PPS: 3.3V-5.9V3A  
 3.3V-11V2.25A



**Input:**  
 100-240V 50/60Hz 1.5A  
**Output:**  
 USB-C1: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)  
 USB-C2: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)



**Input:**  
 100-240V 50/60Hz 1.5A  
**Output:**  
 USB-C1: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)  
 USB-C2: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)



**Input:**  
 100-240V 50/60Hz 1.5A  
**Output:**  
 USB-C1: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)  
 USB-C2: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)



**Input:**  
 100-240V 50/60Hz 1.5A  
**Output:**  
 USB-C1: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)  
 USB-C2: 5.0V3A 9V2.22A  
 12V1.67A (20W Max)



**Input:** 100-240V 50/60Hz  
**Output:**  
 C1/C2:5V3A/9V3A/15V3A  
 /20V3.25A(65W MAX)  
 PPS:3.3-11V3A  
 USB-A:5V3A/9V2A  
 /12V1.5A(18W MAX)  
 C1+C2:45W+20W  
 C1+A:45W+18W  
 C1+C2+A:45W+15W



**Input:** 100-240V 50/60Hz  
**Output:**  
 C1/C2:5V3A/9V3A/15V3A  
 /20V3.25A(65W MAX)  
 PPS:3.3-11V3A  
 USB-A:5V3A/9V2A  
 /12V1.5A(18W MAX)  
 C1+C2:45W+20W  
 C1+A:45W+18W  
 C1+C2+A:45W+15W

# Gallium nitride charging head



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2:5V3A/9V3A/15V3A  
/20V3.25A(65W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:45W+20W  
C1+A:45W+18W  
C1+C2+A:45W+15W



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2:5V3A/9V3A/15V3A  
/20V3.25A(65W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:45W+20W  
C1+A:45W+18W  
C1+C2+A:45W+15W



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2/C3:5V3A/9V3A  
/15V3A/20V5A(100W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:65W+30W  
C1+C3:65W+30W  
C1+A:65W+18W  
C1+C2+C3+A:65W+20W  
+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2/C3:5V3A/9V3A  
/15V3A/20V5A(100W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:65W+30W  
C1+C3:65W+30W  
C1+A:65W+18W  
C1+C2+C3+A:65W+20W  
+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2/C3:5V3A/9V3A  
/15V3A/20V5A(100W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:65W+30W  
C1+C3:65W+30W  
C1+A:65W+18W  
C1+C2+C3+A:65W+20W  
+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2/C3:5V3A/9V3A  
/15V3A/20V5A(100W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:65W+30W  
C1+C3:65W+30W  
C1+A:65W+18W  
C1+C2+C3+A:65W+20W  
+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2:5V3A/9V3A/15V3A  
/20V5A/28V5A(140W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:100W+40W  
C1+C3:100W+40W  
C1+A:100W+18W  
C1+C2+C3+A:60W+30W  
+30W+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2:5V3A/9V3A/15V3A  
/20V5A/28V5A(140W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:100W+40W  
C1+C3:100W+40W  
C1+A:100W+18W  
C1+C2+C3+A:60W+30W  
+30W+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2:5V3A/9V3A/15V3A  
/20V5A/28V5A(140W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:100W+40W  
C1+C3:100W+40W  
C1+A:100W+18W  
C1+C2+C3+A:60W+30W  
+30W+15W(MAX)



**Input:** 100-240V 50/60Hz

**Output:**

C1/C2:5V3A/9V3A/15V3A  
/20V5A/28V5A(140W MAX)  
PPS:3.3-11V3A  
USB-A:5V3A/9V2A  
/12V1.5A(18W MAX)  
C1+C2:100W+40W  
C1+C3:100W+40W  
C1+A:100W+18W  
C1+C2+C3+A:60W+30W  
+30W+15W(MAX)

# Gallium nitride charging head



**Q352C-05**  
Input: AC100-240V  
Output:  
5V3A/9V3A/12V2.92A  
/15V2.33A/20V1.75A  
Size: 51\*51\*50mm  
Net Weight: 78g



**Q352C-03**  
Input: AC100-240V  
Output:  
5V3A/9V3A/12V2.92A/  
15V2.33A/20V1.75A  
Size: 51\*51\*50mm  
Net Weight: 80g



**Q452C-05**  
Input: AC100-240V  
Output:  
5V3A/9V3A/12V3A  
/15V3A/20V2.25A  
Size: 36.4\*34\*82mm  
Net Weight: 85g



**Q452C-03**  
Input: AC100-240V  
Output:  
5V3A/9V3A/12V3A  
/15V3A/20V2.25A  
Size: 36.4\*34\*95.8mm  
Net Weight: 85g



**Q100W2C1A**  
Input: AC100-240V  
Output:  
TYPE-C: 5V3A/9V3A  
/12V3A/15V3A/20V5A  
USB-A: 5V3A/9V2A/12V1.5A  
Size: 70\*31\*62.7mm  
Net Weight: 140g



**Q65W2C1A**  
Input: AC100-240V  
Output:  
TYPE-C:5V3A/9V3A  
/12V3A/15V3A/20V3.25A  
USB-A:5V3A/9V2A  
/12V1.5A  
Size: 54\*30\*62mm  
Net Weight: 110g



# Gallium nitride charging head



## P005-US WH

**Input:** 100-240V 50/60Hz 1.5A

**Output:** 5V3A/9V3A/12V2.5A/  
15V2A/20V1.5A(30W Max)

PPS: 3.3-11V

**Size:** 32.5\*32.5\*33mm



## P004-US BI

**Input:** 100-240V 50/60Hz

**Output:** USB-C1/C2: 5V3A/9V3A  
15V3A/12V2.25A(45W Max)

PPS: 3.3-11V

C1+C2: 25W+20W

**Size:** 36\*37\*46mm



## P003-US PI

**Input:** 200-240V 50/60Hz

**Output:** USB-C1/C2: 5V3A/9V3A  
15V3A/12V3.25A(45W Max)

PPS: 3.3-11V3A

C1+C2: 45W+20W

**Size:** 35\*36.6\*55mm



## W002-WH

**Input:** 100-240V 50/60Hz 2.5A Max

**Output:** USB-C1/C2: 5V3A/9V3A  
12V2.5A/15V2A/20V5A(100W Max)

USB-C3: 5V3A/9V2.22A

12V2.5A/15V2A/20V1.5A(30W Max)

WIRELESS Output: 15W(Max)

Total Output: 100W(Max)

**Size:** 96\*63\*41.5mm



## W002-PU

**Input:** 100-240V 50/60Hz 2.5A Max

**Output:** USB-C1/C2: 5V3A/9V3A  
12V2.5A/15V2A/20V5A(100W Max)

USB-C3: 5V3A/9V2.22A

12V2.5A/15V2A/20V1.5A(30W Max)

WIRELESS Output: 15W(Max)

Total Output: 100W(Max)

**Size:** 96\*63\*41.5mm



## W002-BK

**Input:** 100-240V 50/60Hz 2.5A Max

**Output:** USB-C1/C2: 5V3A/9V3A  
12V2.5A/15V2A/20V5A(100W Max)

USB-C3: 5V3A/9V2.22A

12V2.5A/15V2A/20V1.5A(30W Max)

WIRELESS Output: 15W(Max)

Total Output: 100W(Max)

**Size:** 96\*63\*41.5mm



## P007-US WH

**AC Input:** AC 100-240V 50/60Hz 16A

**Output:** USB-C1/C2: 5V3A/9V3A  
12V3A/15V3A/20V5A(100W Max)

USB-C3/C4: 5V3A/9V3A

12V3A/15V3A/20V1.5A(30W Max)

USB-C1+C2: 65W+30W(95W Max)

USB-C1/C2+C3/C4: 65W+30W(95W Max)

USB-C3/C4: 30W+30W(60W Max)

USB-C1orC2+C3+C4:

60W+20W+20W(100W Max)

USB-C1+C2+C3orC4:

60W+20W+20W(100W Max)

USB-C1+C2+C3+C4:

60W+20W+20W(100W Max)

Total Output: 100W(Max)

**Size:** 155\*84.6\*72.7mm



## P007-US GR

**AC Input:** AC 100-240V 50/60Hz 16A

**Output:** USB-C1/C2: 5V3A/9V3A  
12V3A/15V3A/20V5A(100W Max)

USB-C3/C4: 5V3A/9V3A

12V3A/15V3A/20V1.5A(30W Max)

USB-C1+C2: 65W+30W(95W Max)

USB-C1/C2+C3/C4: 65W+30W(95W Max)

USB-C3/C4: 30W+30W(60W Max)

USB-C1orC2+C3+C4:

60W+20W+20W(100W Max)

USB-C1+C2+C3orC4:

60W+20W+20W(100W Max)

USB-C1+C2+C3+C4:

60W+20W+20W(100W Max)

Total Output: 100W(Max)

**Size:** 155\*84.6\*72.7mm



## P007-US PI

**AC Input:** AC 100-240V 50/60Hz 16A

**Output:** USB-C1/C2: 5V3A/9V3A  
12V3A/15V3A/20V5A(100W Max)

USB-C3/C4: 5V3A/9V3A

12V3A/15V3A/20V1.5A(30W Max)

USB-C1+C2: 65W+30W(95W Max)

USB-C1/C2+C3/C4: 65W+30W(95W Max)

USB-C3/C4: 30W+30W(60W Max)

USB-C1orC2+C3+C4:

60W+20W+20W(100W Max)

USB-C1+C2+C3orC4:

60W+20W+20W(100W Max)

USB-C1+C2+C3+C4:

60W+20W+20W(100W Max)

Total Output: 100W(Max)

**Size:** 155\*84.6\*72.7mm

# Gallium nitride charging head



## P001-BK

**Input:** 100-240V 50/60Hz 0.8A

**Output:** USB-C1/C2: 5V3A/9V3A  
12V3A/15V2.67A/20V2A(40W Max)

PPS: 3.3-11V3A

Total Output: 40W(Max)

**Size:** 49\*44\*22mm



## P002-BK

**Input:** 100-240V 50/60Hz 3.5A

**Output:**

USB-C1: 5V3A/9V3A/12V3A/15V3A/20V5A(Max)

USB-C2: 5V3A/9V3A/12V3A/15V3A/20V4.5or3.25A(Max)

USB-C3: 5V3A/9V2.77A/12V2.08A/15V1.67A/20V1.25A(Max)

USB-C4: 5V3A/9V2.77A/12V1.67A(Max) PPS: 3.3-21V4.76A

USB-A: 5V3A/9V2A/12V1.5A(Max) PPS: 3.3-21V4.055A

Total Output: 228W(Max)

PPS: 3.3-21V2.25A

**Size:** 114\*36\*83mm



## W006-BK

**Input:** USB-C/USB-A: 5V1A (MAX)

**Output:** Wireless Charger 2.5A (MAX)

**Size:** 44.5\*84.8\*10.6mm



## W005-SI

**Type-C Input:** 5V3A/9V3A (27W Max)

**Single device Charge:** 15W (Max)

**Double device Charge:** 10W+10W+3W (23W Max)

**Size:** 65\*127.6\*12mm

# Car charger/Consumer electronics



## Q120W2C1A

Input: DC12V

Output:

TYPE-C: 5V3A/9V3A/12V3A  
/15V3A/20V6A

USB-A: 5V3A/9V2A/12V1.5A

Size: 46\*48\*85mm

Net Weight: 80g



## EMSQ1

Input: DC5V0.3A

Power: 2W

Size: 126\*61\*13mm

Net Weight: 35g



## QF08-01

Input: DC5V2A

Power: 10W

Size: 200\*70\*230mm

Net Weight: 310g



## QF07-02

Input: DC5V1A

Power: 5W

Size: 206\*180\*70mm

Net Weight: 285g



# Consumer electronics



## QT045-01

Input: AC100-240V

Output:

TYPE-C: 5V3A/9V2.22A/12V1.67A

USB-A: 5V3A/9V2A/12V1.5A

Size: 180\*180\*443mm

Net Weight: 1100g



## QT045-02

Input: AC100-240V

Output:

TYPE-C: 5V3A/9V2.22A/12V1.67A

USB-A: 5V3A/9V2A/12V1.5A

Size: 200\*108\*423mm

Net Weight: 1100g



Let's Join!

一緒にやろうよ!

Yes, let's!

うん、そうしよう!

Bright Sunshine for it's growth.

光輝く成長のために。

J Y S 株式会社

〒800-0233 北九州市小倉南区朽網西4-17-2

電話: 093-980-7725 FAX: 093-980-7727

E-mail: info@jys-corp.co.jp

URL: <https://jys-corp.co.jp/>